



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/960,713	09/21/2001	Alan Lee Taylor	40921/261784	4278
75	590 02/27/2004	EXAMINER		
Daniel Daniel P.O. Drawer 12	s & Verdonik, P.A.	NGUYEN, CINDY		
	gle Park, NC 27709	•	ART UNIT	PAPER NUMBER
			2171	<u>ν</u>
			DATE MAILED: 02/27/2004	1

Please find below and/or attached an Office communication concerning this application or proceeding.



					Application	n No.	Applicant(s)	Cv	
					09/960,713		TAYLOR ET AL.		
		Offic	Action Summa	ary	Examiner		Art Unit		
		•			Cindy Ng	<u> </u>	2171		
Per		The MAII or Reply	LING DATE of this co	mmunication app	pears on the	c ver sheet with	the correspondence add	Iress	
	A SH THE - Externation after - If the - If NO - Failure Any	ORTENED MAILING Designs of time in SIX (6) MONT is period for reply period for reply reto reply with reply received in the six of th	O STATUTORY PER DATE OF THIS COM may be available under the pi HS from the mailing date of the y specified above, the may in the set or extended period by the Office later than three adjustment. See 37 CFR 1.7	MMUNICATION. rovisions of 37 CFR 1.1 his communication. n thirty (30) days, a replicimum statutory period for reply will, by statute months after the mailin	36(a). In no every within the statuwill apply and will apply and will a cause the appl	nt, however, may a repl tory minimum of thirty (expire SIX (6) MONTH cation to become ABAN	y be timely filed 30) days will be considered timely. IS from the mailing date of this control (35 U.S.C. § 133).	mmunication.	
Sta	tus						·	1	
	1)🖂	Responsi	ve to communication	n(s) filed on <u>21 S</u>	eptember 2	<u>001</u> .			
2	2a)∐	-	n is FINAL .		s action is n				
	3)	Since this	application is in cor	ndition for allowa	nce except	for formal matter	s, prosecution as to the	merits is	
		closed in	accordance with the	practice under l	Ex parte Qu	ayle, 1935 C.D.	11, 453 O.G. 213.		
Dis	posit	ion of Cla	ims						
	5)□ 6)⊠ 7)□	4a) Of the Claim(s) Claim(s) Claim(s)	1-21 is/are pending i above claim(s) is/are allowed 1-21 is/are rejected. is/are objecte are subject to	is/are withdra	wn from col	•			
Аp	plicat	ion Paper	s						
	9)□ 10)⊠	The specification of the drawing Applicant of Replacement of the specific of t	fication is objected to ng(s) filed on <u>21 Sep</u> may not request that a ent drawing sheet(s) in	otember 2001 is/ my objection to the acluding the correct	/are: a)⊠ a drawing(s) b ction is require	e held in abeyance ed if the drawing(s)	objected to by the Exame. See 37 CFR 1.85(a). Sis objected to. See 37 CF Office Action or form PT	R 1.121(d).	
Pri	ority	under 35 l	J.S.C. § 119						
	́а)	☐ All b) 1.☐ Ce 2.☐ Ce 3.☐ Co app	dgment is made of a Some * c) Non rtified copies of the p rtified copies of the p pies of the certified co plication from the Interaction cached detailed Office	e of: priority documen priority documen copies of the priority ernational Burea	ts have bee ts have bee prity docume nu (PCT Rul	n received. n received in Appents have been re e 17.2(a)).	olication No eceived in this National	Stage	
_	Noti	ce of Referen	nces Cited (PTO-892) erson's Patent Drawing R osure Statement(s) (PTO- Date)	Paper No(s)/	mmary (PTO-413) Mail Date ormal Patent Application (PTC)-152)	

This is in response to application filed on 09/21/2001 in which claims 1-21 are presented for examination.

1. Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-7 and 9-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Ofek (U.S 6044444).

Regarding claim 1, Ofek discloses: a method for synchronizing a plurality of data images in a compute system, the plurality of data images including a primary image and at least one secondary image, the method comprising:

receiving a write request from a host computer at a primary image site and at a secondary image site (col. 18, lines 12-47, Ofek);

writing to the primary image at the primary image site and attempting to write to the at least one secondary linage at the at least one secondary image site (col. 24, lines 53-63, Ofek); and

in the event the write attempt to the at least one secondary image falls, creating a fracture log at the primary image site which is representative of changed regions in the primary image at the primary image site, whereby the log can be used to synchronize the primary image and the secondary image (col. 24, lines 53 to col. 25, lines 33, Ofek).

Application/Control Number: 09/960,713

Art Unit: 2171

Regarding claim 12, Ofek discloses: a computer system for maintaining a plurality of data images in the computer system, the plurality of data images including a primary image and at least one secondary image, the computer system comprising: non-volatile storage for storing at least the primary image (col. 9, lines 42-57, Ofek); a network interface for accessing the at least one secondary image (col. 11, lines 55 to col. 12, lines 5, Ofek);

Logic for creating a fracture log which identifies changed regions in the primary image effected as a result of a write to the primary image, and for creating the fracture log only if a write request to a primary image and at least one secondary image fails with respect to the secondary image failure (col. 24, lines 53 to col. 25, lines 33, Ofek);

write logic for writing to the primary image and to the at least one secondary image to maintain the primary image and the at least one secondary image synchronized, and for writing to the at least one secondary image based on the contents of the fracture log upon the failure of a write request to the at least one secondary image (col. 26, lines 54 to col. 27, liens 20, Ofek).

Regarding claims 2 and 13, all the limitations of these claims have been noted in the rejection of claims 1 and 12 above, respectively. In addition, Ofek discloses: wherein said fracture log comprises a bitmap identifying the changed regions on at least one disk that has been written to (col. 17, lines 21-45, Ofek).

Regarding claim 3, all the limitations of this claim have been noted in the rejection of claim 1 above. In addition, Ofek discloses: conducted in synchronous mirroring operations (col. 21, lines 27-43, Ofek).

Regarding claim 4, all the limitations of this claim have been noted in the rejection of claim 1 above. In addition, Ofek discloses: further comprising simultaneously updating the primary image at the

Application/Control Number: 09/960,713

Art Unit: 2171

primary image site and the at least one secondary image at the at least one secondary image site in response to a write request, and communicating to the host that the update to the primary image at the primary image site and the at least one secondary image at the at least one secondary image site is complete, whereby the fracture log is not created (col. 17, lines 20-45, Ofek).

Regarding claim 5, all the limitations of this claim have been noted in the rejection of claim 1 above. In addition, Ofek discloses: wherein: the write request to the at least one secondary image site fails (col. 24, lines 25-63, Ofek); the fracture log representative of changed regions is created at the primary image site and is representative of changed regions in the image at the primary image site; and the fracture log at the primary image site is used to effect writing to the at least one secondary image at the at least one secondary image site when it becomes possible to write to the at least one secondary image site, to ensure that the images at the primary image site and at the at least one secondary image site are synchronized (col. 26, lines 29 to col. 27, lines 20, Ofek).

Regarding claims 6 and 16, all the limitations of these claims have been noted in the rejection of claims 1 and 12 above, respectively. In addition, Ofek discloses: further comprising erasing the fracture log once writing to the at least one secondary image occurs (col. 33, lines 65 to col. 34, lines 3, Ofek).

Regarding claim 14, all the limitations of this claim have been noted in the rejection of claim 12 above. In addition, Ofek discloses: wherein said logic for creating a fracture log is located at a primary image site in which the primary image is maintained, and said write logic is configured for updating the primary image at the primary image site and the at least one secondary image at least one secondary image site, and for communicating to a host issuing the

Application/Control Number: 09/960,713

Art Unit: 2171

write request that the update to the primary image at the primary image site, and the at least one secondary image at the at least one secondary image site is complete (col. 17, lines 20-45, Ofek).

Regarding claims 7 and 17, all the limitations of these claims have been noted in the rejection of claims 5 and 14 above, respectively. In addition, Ofek discloses: further comprising erasing the fracture log once writing to the primary image and to the at least one secondary image occurs (col. 34, lines 4-24, Ofek).

Regarding claims 9 and 19, all the limitations of these claims have been noted in the rejection of claims 1 and 12 above, respectively. In addition, Ofek discloses: wherein said primary image site and said secondary image site comprise storage arrays (col. 11, lines 27-44, Ofek).

Regarding claims 10 and 20, all the limitations of these claims have been noted in the rejection of claims 1 and 12 above, respectively. In addition, Ofek discloses: wherein said host computer is a server (col. 7, lines 17-37, Ofek), connected through a network comprising a plurality of storage arrays comprised of multiple storage disks, for controlling the operation of the storage arrays (col. 11, lines 27-44, Ofek).

Regarding claims 11 and 21, all the limitations of these claims have been noted in the rejection of claims 1 and 12 above, respectively. In addition, Ofek discloses: wherein said synchronizing of data images at the primary image site and at the secondary image site is conducted to allow the computer system to operate in the event one of the primary image sites and the secondary image site falls (col. 26, lines 54 to col. 27, lines 5, Ofek).

Regarding claim 15, all the limitations of this claim have been noted in the rejection of claim 12 above. In addition, Ofek discloses: wherein the write logic is configured for using a

Art Unit: 2171

created fracture log, in the event of a failure upon a write request to write to the at least one secondary image, to write the same changes to the at least one secondary image upon the ability to write being restored, as previously written to the primary image to ensure synchronization between the primary image and the at least one secondary image (col. 22, lines 59 to col. 23, lines 19, Ofek).

Regarding claim 18, all the limitations of this claim have been noted in the rejection of claim 14 above. In addition, Ofek discloses: further comprising: a write intent log in the primary image for identifying regions in the primary image possibly affected by a write request irrespective of whether there was a possible failure to write to the primary image in response to a write request (col. 34, lines 25-59, Ofek); and said write logic further configured for writing to the secondary image the blocks in the primary image identified by the write intent log as possibly being affected upon the ability to write to the primary image being restored to normal operation (col. 30, lines 65 to col. 31, lines 9, Ofek).

3. Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ofek (U.S 6044444) in view of Yanai et al. (U.S 5742792) (Yanai).

Regarding claim 8, all the limitations of this claim have been noted in the rejection of claim 4 above. However, Ofek didn't discloses: wherein the write request falls at the primary

'Application/Control Number: 09/960,713

Art Unit: 2171

image site, and further comprising creating a write intent log which identifiers blocks at the primary image site to which writing may have occurred, for writing of the identified blocks. to at least one secondary image, when writing to the primary image site is restored, and in the event writing to the at least one secondary image is not possible, for creating said fracture log at the primary image site for effecting said write request on the at least one secondary image when writing to the at least one secondary image is restored. On the other hand, Yanai discloses: wherein the write request falls at the primary image site, and further comprising creating a write intent log which identifiers blocks at the primary image site to which writing may have occurred, for writing of the identified blocks to at least one secondary image, when writing to the primary image site is restored, and in the event writing to the at least one secondary image is not possible, for creating said fracture log at the primary image site for effecting said write request on the at least one secondary image when writing to the at least one secondary image is restored (col. 32, lines 16-63, Yanai). Thus, at the time invention was made, it would have been obvious to a person of ordinary skill in the art to include the step for creating a write intent log as above in the system of Ofek as taught by Yanai. The motivation being to enable the system performed the recovery from the site failure and the two data storage systems automatically resynchronize (col. 32, lines 16-63, Yanai).

5. Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

· Application/Control Number: 09/960,713

Art Unit: 2171

McDowell (U.S 6260125) Asynchronous write queues, reconstruction and check

pointing in disk erroring applications.

Davis et al. (U.S 5546536). Log for selective management of specific address in a

shadow storage system.

Ludlam et al. (U.S 5459857). Fault tolerant disk array data storage subsystem.

Yanai et al. (U.S 6173377). Remote data mirroring.

Rastogi et al. (U.S 6205449). System and method for providing hot spare redundancy

and recovery for a very large database management system.

6. Contact Information

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Cindy Nguyen whose telephone number is 703-305-4698. The examiner can

normally be reached on M-F: 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Safet

Metjahic can be reached on 703-308-1436. The fax phone numbers for the organization where this

application or proceeding is assigned are 703-872-9306 for regular communications and 703-872-9306

for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should

be directed to the receptionist whose telephone number is 703-305-3900.

ON

Cindy Nguyen

February 21, 2004

WAYNE AMSBURY